### STEREOSCOPE VISION TESTING

MANUFACTURER: STEREO OPTICAL COMPANY, INC.

Manufacturer Model# AFVT2300

Manufacturer's PHONE: (773) 777-2869 FAX: (773) 777-4985

Manufacturer's Website: <a href="http://www.stereooptical.com">http://www.stereooptical.com</a>>

### **Item Web Link:**

<a href="mailto:shiftp://www.stereooptical.com/products/vision-testers/optec-2300">http://www.stereooptical.com/products/vision-testers/optec-2300</a>

#### AAC 'L' ITEM NSN 6540-01-375-9031

**UAs: 009A** 

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

**UNIT PRICE: \$2,850.00** 

**System Description:** The Optec® 2300 Armed Forces Vision Tester was designed with the Armed Forces specifically to provide accurate, reliable results in military screening.

Features: • Lens system for far and near testing

• Observation doors for pointer use and test slide access and change

• Far and near indicator lights

• Elevation adjustment



STEREOSCOPE VISION TESTING NEAR DISTANT WITH SLIDES 115V 60HZ AC PART # AFVT2300 NSN 6540013759031

# STEREOSCOPE VISION TESTING PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

| Item Dimensions           | Height (Inches)   | 15.5                    |
|---------------------------|-------------------|-------------------------|
|                           | Width (Inches)    | 11                      |
|                           | Length (Inches)   | 14.25                   |
|                           | Cube (Cubic Feet) | 1.406                   |
|                           | Weight            | 15 lbs                  |
| Ship Dimensions           | Height (Inches)   |                         |
|                           | Width (Inches)    |                         |
|                           | Length (Inches)   |                         |
|                           | Cube (Cubic Feet) |                         |
|                           | Weight            |                         |
| Storage Temp              |                   | 60 to 90 °F             |
| Operating Temp            |                   | 60 to 90 °F             |
| Storage Humidity          |                   | 10 - 95% Non-Condensing |
| <b>Operating Humidity</b> |                   | 30 - 75% Non-Condensing |
| Amps                      |                   | 0.5                     |
| Watts                     |                   | 55                      |
| <b>Power Requirements</b> | 115 VAC, 50/60 Hz |                         |
| Notes                     |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           |                   |                         |
|                           | 1                 |                         |

# STEREOSCOPE VISION TESTING ACCESSORIES & CONSUMABLES - STARTUP

| NSN              | Notes | Nomenclature                                     | MFR PN<br>Stereo<br>Optical<br>Company,<br>Inc. | DIST PN | QTY | UI    | Unit Price         | Total Price        | Shelf<br>Life<br>Mon. |
|------------------|-------|--|---|---------|-----|-------|--------------------|--------------------|-----------------------|
| 6540013759031    |       | Stereoscope Vision Testing                       | AFVT2300  |         | 1   | EA    | \$2,850.00         | \$2,850.00         | N/A                   |
| 6540015523616    |       | Case, Slide Storage                              | 2300-004  |         | 1   | EA    | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |
| 6540015537505    |       | Dust Cover                                       | 2300-005  |         | 1   | EA    | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |
| 6910015534062    |       | Card, Plastic Laminated 8 ½ by 11 in Scoring Key | 2300-003  |         | 1   | EA    | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |
| 7530015227722    |       | Record Forms                                     | 2300-002  |         | 1   | 50/PD | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |
| NSN Not Required |       | Literature, Operator/Maintenance                 | 70226   |         | 1   | EA    | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |
| NSN Not Required |       | Tissue, Headrest                                 | 2300-221  |         | 10  | 50/PD | Incl w/NSN<br>9031 | Incl w/NSN<br>9031 | N/A                   |